	·		
	Application No.	Applicant(s)	
Aladia - E Allania I 194	09/973,054	YONEDA ET AL.	
Notice of Allowability	Examiner	Art Unit	
	LUONG T. NGUYEN	2612	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>Amendment filed on 02/07/05</u> .			
2. The allowed claim(s) is/are 2-3, 7-9 (renumbered as 1-5, respectively).			
3. The drawings filed on are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) ☐ hereto or 2) ☐ to Paper No./Mail Date			
(b) ☑ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date <u>05/10/05</u> .			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary	5. ☐ Notice of Informal Patent Application (PTO-152) 6. ☑ Interview Summary (PTO-413),	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		Paper No./Mail Date <u>05/10/05</u> . 7. ⊠ Examiner's Amendment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance	
of Biological Material	9.		

Application/Control Number: 09/973,054

Art Unit: 2612

EXAMINER'S AMENDMENT

1. It is noted that this application No. 09/973,054 has been transferred to Examiner Luong T. Nguyen.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. John A. Krause on 05/06/05.

3. The claims have been amended as follows:

Claim 2 (line 7), "a plurality of image pickup areas in the vertical direction" has been changed to --the plurality of image pickup areas--.

Claim 2 (line 10), "said image" has been changed to --said plurality of image---

Claim 2 (line 14), "overlaps with each other" has been changed to --overlaps with another vertical scanning circuit of said plurality of vertical scanning circuits--

Claim 7 (lines 8-9), "a plurality of image pickup areas in the vertical direction" has been changed to --the plurality of image pickup areas--.

Application/Control Number: 09/973,054 Page 3

Art Unit: 2612

4. The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

Fig. 1, Fig. 2, Fig. 3 have been labeled "PRIOR ART".

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

REASONS FOR ALLOWANCE

5. Claims 2-3, 7-9 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding claims 2 and 7, the prior art of the record fails to show or fairly suggest an image pickup apparatus comprising a common output line for sequentially outputting signals from said plurality of image pickup areas that are arranged in the horizontal and vertical directions and a horizontal scanning circuit provided in common for the plurality of image pickup areas in the vertical direction, adapted to read out signals to said common output line in combination with other claimed elements.

Claim 3 is allowable for the reasons given in claim 2.

Claims 8-9 are allowable for the reasons given in claim 7.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/973,054 Page 4

Art Unit: 2612

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to LUONG T. NGUYEN whose telephone number is (571) 272-7315. The examiner can normally be reached on 7:30AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber can be reached on (571) 272-7308. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LN LN 05/10/05

WENDY R. GARBER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2500